

COUP'ECO

MAKE THE RIGHT CUT

30 YRS
ANS



AGRICULTURAL CATALOGUE

METEOR MD100	P4-5
METEOR MT90C loader	P6-7
METEOR MT90C telescopic	P8-9
METEOR T90R	P10-11
METEOR T90D	P12-13
Customised solutions	P14-15

COUP'ECO – FRENCH EXPERTISE SERVING PERFORMANCE

For over 30 years, Coupe'Eco has been designing and manufacturing maintenance tools in France, known for their reliability and efficiency.

Our mission: to offer professionals durable, innovative, and easy-to-use solutions.

Discover the METEOR range - Special Loader & Telescopic

Power, precision and robustness: Coupe'Eco technology adapted to front loaders and telescopic handlers.

With the Meteor range, boost your efficiency and work with confidence, whatever the task.



METEOR MD100

The compact cutter bar for small loaders



What the MD100 brings to daily use

What sets the Meteor MD100 apart is its lightness and its ability to adapt to many small carriers. Its gear hydraulic motor, with a flow rate of 35 L/min at 170 bar, provides smooth and consistent cutting across all types of vegetation. With a standard hydraulic offset (70 cm) and a universal hitch interface, it mounts quickly and is easy to use. The saw blades deliver a clean and precise cut that respects the plants. Better cutting also means fewer diseases in your crops. For added flexibility, the blades can be replaced with Knives for gentler trimming during certain times of the year. The tilt cylinder option allows vertical and horizontal operation depending on hedge configuration. With its storage stand, the machine is easy and quick to store.

- Meets the needs of farms or landscaping operations equipped with small loaders
- Suitable for trimming hedges along field edges, bocage hedges, or vegetative fences.
- Ideal for operations in narrow or hard-to-reach environments.
- Enhances cutting precision even in delicate areas.



Suitable supports



Front loader



Compact loader

Designed for small loaders, the **METEOR MD100** cutter bar makes it easy to maintain hedges, borders, and small field hedges. Its simple, lightweight, and robust design offers an excellent compromise for professionals seeking a maneuverable, durable tool suited to tight spaces.

Model	Meteor MD100	Meteor MD100
Cutter bar	3500	4500
Number of blades/discs	3	4
Diametre (mm)	500	500
Cutting capacity (mm) - Knives	25	25
Cutting capacity (mm) - Saw blades	160	160
Cutting length (m)	1,23	1,59
Hydraulic flow and pressure	35 L/min à 170 bar	35 L/min à 170 bar
Rotation speed (rpm)	2500	2500
Machine weight (without hitch) (kg)	170	192



- ✓ Adaptation to small loader
- ✓ Ideal for trimming hedges along field borders
- ✓ Saw blades can be interchanged with flail discs
- ✓ Vertical and horizontal operation
- ✓ Full visibility thanks to front mounting
- ✓ High-performance gear hydraulic motor
- ✓ Universal hitch interface
- ✓ Drop stands for storage

METEOR T90C loader



A design built for everyday efficiency

★ Model advantages

The Meteor T90C front loader version stands out for its robust design and excellent handling. Thanks to its simple and quick hitch, it can be used immediately upon arrival on site. The welded cutter bar holds 3 or 4 blades of 600 mm diameter, capable of cutting branches up to 20 cm thick, driven by 10-rib Poly-V belts for reliable, smooth, and durable transmission. It cuts up to 200 mm in diameter, with a cutting length of up to 2 metres.

The unit is powered by a high-performance hydraulic motor (45 L/min at 170 bar), ensuring consistent operation even in dense vegetation. The integrated 1 m hydraulic offset cylinder facilitates lateral adjustments, while the tilt cylinder allows the head to pivot for horizontal trimming, ideal for topping. Versatile, the T90C can be optionally equipped with Knives, allowing easy transition from structural pruning to annual maintenance.

- Maintenance of hedges, vegetated borders or wooded edges.
- Regular pruning of bocage hedges, uneven shoulders or field edges.
- Excellent visibility of the cutting area.
- Facilitates maneuvering and improves operator safety.

Suitable supports



Tractor



Front loader

The **Meteor T90C** cutter bar stands out for its versatility and efficiency in all conditions. Designed for telescopic handlers, this model ensures precise and comfortable work thanks to optimal positioning and clear visibility from the cab.

Model	Meteor T90C-3600	Meteor T90C-4600
Cutter bar	3600	4600
Number of blades/discs	3	4
Diameter (mm)	600	600
Cutting capacity (mm) - Knives	25	25
Cutting capacity (mm) - Saw blades	200	200
Cutting length (m)	1,53	2
Hydraulic flow and pressure	45 L/min à 170 bar	45 L/min à 170 bar
Rotation speed (rpm)	2000	2000
Machine weight (without hitch) (kg)	460	480



- ✓ 1 m hydraulic lateral offset
- ✓ Tilt cylinder for vertical or horizontal cutting
- ✓ 600 mm cutter bar with 3 or 4 blades (up to 2 m cutting length)
- ✓ Poly-V belts with 10 ribs and welded steel housing
- ✓ Hydraulic motor at 45 L/min under 170 bar
- ✓ Cuts up to 200 mm diameter
- ✓ Optional Knives for gentle trimming
- ✓ Quick hitch, integrated storage stands

METEOR T90C telescopic



A cutter bar designed for fast maintenance of long and demanding hedges



A tool designed for efficiency

The Meteor T90C is easy to handle and adapts to many situations. Its welded cutter bar holds 3 or 4 blades of 600 mm diameter, capable of cutting branches up to 200 mm. The 10-rib Poly-V belt transmission ensures smooth and durable rotation, even on rough terrain. Powered by a hydraulic motor of 45 L/min at 170 bar, it remains consistent in dense vegetation. With a cutting length of up to 2 m, large areas can be covered quickly, reducing passes. The 1 m hydraulic offset cylinder facilitates lateral adjustments, and the tilt cylinder allows the head to pivot for horizontal cuts, useful for topping. From the cab, the operator maintains control via the integrated distributor. The Bluetooth option eliminates bulky cables. Depending on needs, Knives can be used for gentle trimming. Its robust structure and careful assembly ensure long-term reliability.

- For efficient maintenance of long hedges or vegetated lines without sacrificing comfort.
- For farmers, pruning contractors or municipalities who often work in complex areas: field edges, embankments...
- Added comfort: better visibility of the cut, fewer maneuvering constraints, and time savings on long stretches.

Suitable supports




Telescopic



Loader

The **Meteor T90C** cutter bar stands out for its versatility and efficiency in all conditions. Designed for telescopic handlers, this model ensures precise and comfortable work thanks to optimal positioning and clear visibility from the cab.

Model	Meteor T90C-3600	Meteor T90C-4600
Cutter bar	3600	4600
Number of blades/discs	3	4
Diametre (mm)	600	600
Cutting capacity (mm) - Knives	25	25
Cutting capacity (mm) - Saw blades	200	200
Cutting length (m)	1.53	2
Hydraulic flow and pressure	45 L/min à 170 bar	45 L/min à 170 bar
Rotation speed (rpm)	2000	2000
Machine weight (without hitch) (kg)	420	460



- ✓ Easy adaptation to telescopic handler
- ✓ Left-side operation: better visibility
- ✓ Tilt cylinder for horizontal work, ideal for hedge topping
- ✓ Blade interchangeability with Knives
- ✓ Bluetooth option: no cable on carrier arm
- ✓ Universal hitch interface, optional
- ✓ Drop stands for storage
- ✓ Electric kit and complete magnetic drain kit (optional)
- ✓ Flow regulator, pressure limiter and check valve as standard
- ✓ Cut-out safety system (optional)
- ✓ Bluetooth (optional)

METEOR T90R



Practical and reliable for daily pruning work



Advantages of the Meteor T90R

This model is appreciated for its ease of use: no complex articulated arm, it hitches as easily as a bucket. It is equipped with 3 or 4 saw blades of 600 mm diameter, with a cutting capacity of 200 mm, sufficient for most agricultural hedges. It offers excellent visibility from the cab while protecting the carrier: the cutter bar is kept at a distance, limiting exposure to debris and cut branches. The integrated hydraulic system is designed to be efficient and safe, with a distributor equipped with a flow divider and check valve. The control box, available with or without Bluetooth, allows quick handling from the cab. And for those who prefer gentler cutting, the blades can be replaced with Knives (optional) for light maintenance.

- An economical yet effective tool for regular trimming of bocage hedges or reshaping field edges.
- Thanks to its fixed 2.85 m offset, it allows work without hindering the carrier's movement, which is especially useful for dense hedges or hard-to-reach areas.
- Mounted on a telescopic handler, it offers excellent visibility and great maneuverability.
- Ideal tool for linear areas or long borders.

Suitable supports




Telescopic



Loader

Designed for those seeking an accessible, reliable and efficient pruning solution, the **Meteor T90R** is a simple yet robust model. Built for telescopic handlers, it enables work on bocage hedges, trees along field edges or windbreaks, with excellent visibility from the cab.

Model	Meteor T90R-3600	Meteor T90R-4600
Cutter bar	3600	4600
Number of blades/discs	3	4
Diametre (mm)	600	600
Cutting capacity (mm) - Knives	25	25
Cutting capacity (mm) - Saw blades	200	200
Cutting length (m)	1,53	2
Hydraulic flow and pressure	45 L/min à 170 bar	45 L/min à 170 bar
Rotation speed (rpm)	2000	2000
Machine weight (without hitch) (kg)	440	485



- ✓ Simple, economical and versatile pruning equipment
- ✓ Large lateral offset: up to 2.85 m (from carrier axis)
- ✓ Ideal for maintaining bocage hedges and field edges
- ✓ Good visibility thanks to left-side operation (optional)
- ✓ Tilt cylinder for horizontal work, for hedge topping
- ✓ Flow regulator, pressure limiter and check valve as standard
- ✓ Universal hitch interface
- ✓ Drop stands for storage
- ✓ Electric kit and complete drain kit (optional) with magnetic fixing
- ✓ Cut-out safety system (optional)
- ✓ Bluetooth (optional) no cable on carrier arm

METEOR T90D telescopic



A solution for high pruning with telescopic handler



A cutter bar designed for intensive work

The Meteor T90D stands out for its robust design and ability to handle long pruning sessions without compromising cutting quality. It is equipped with a 650 mm saw blade cutter bar, capable of cutting branches up to 220 mm in diameter with great precision. This cutting power is made possible by a 10-rib Poly-V belt transmission, highly reliable and durable even under intensive conditions. The hydraulic tilt system allows the operator to switch from vertical to horizontal cutting without leaving the cab. The 1-metre hydraulic lateral offset provides real freedom of movement, especially for working at a distance or avoiding obstacles. User comfort is also a priority: controls are managed via a cab-mounted console, with optional Bluetooth control. Visibility of the cutter bar is optimal from the cab, improving precision even at height. To meet different needs, the saw blades can be replaced with reinforced Knives, ideal for maintenance trimming. Once the job is done, a drop stand allows for easy storage.

- Enables work in hard-to-reach areas or those with specific constraints.
- For tall hedges, wooded borders, windbreaks or fields surrounded by dense trees.
- Allows high pruning while maintaining excellent visibility from the cab.
- Makes pruning easier over long distances or in complex conditions (thick branches, uneven terrain, etc.).



The **Meteor T90D**, designed for telescopic handlers, allows pruning even in hard-to-reach areas. Thanks to its front-mounted configuration and advanced features, it offers comfort and precision while adapting to terrain requirements. Ideal for farmers, pruning contractors or municipalities.

Model	Meteor T90D-3650	Meteor T90D-4650	Meteor T90D-5600	Meteor T90D-6600
Cutter bar	3650	4650	5600	6600
Number of blades/discs	3	4	5	6
Diameter (mm)	650	650	600	600
Cutting capacity (mm) - Knives	25	25	25	25
Cutting capacity (mm) - Saw blades	220	220	200	200
Cutting length (m)	1,57	2,05	2,47	2,91
Rotation speed (rpm)	2500	2500	2000	2000
Machine weight (without hitch) (kg)	750	780	810	850



Suitable supports



Telescopic



Loader

- ✓ Versatile professional pruning equipment, ideal for intensive work
- ✓ Suitable for both windbreaks and field edges
- ✓ Full visibility of the cutter bar positioned at the front of the carrier
- ✓ Tilt cylinder for horizontal cutting or topping
- ✓ 1 m hydraulic lateral offset
- ✓ Universal hitch interface (optional)
- ✓ Interchangeable saw blades and Knives
- ✓ Drop stand for storage after work
- ✓ Double-beam frame
- ✓ Special for walnut and pecan trees
- ✓ Flow regulator, pressure limiter and check valve as standard
- ✓ Electric kit and complete drain kit (optional) with magnetic fixing
- ✓ Bluetooth (optional)


Unique creations developed in collaboration with our clients.

Custom solutions designed to meet your needs.

Because every carrier, every site, and every user is unique, our teams design and build specific setups combining performance, reliability, and ease of use.

With COUP'ECO, benefit from personalized technical support and proven field expertise.

Discover here some examples of custom setups that showcase our expertise, responsiveness, and passion for the trade.



YOUR DEALER



Find videos



of our products

COUP'ECO S.A.S.

ZI DU CHAIL

17800 PONS

FRANCE

+33 (0) 546 96 25 50

coupeco@coupeco.com

